



# WEST BENGAL POLLUTION CONTROL BOARD

Paribesh Bhawan  
10A, Block - LA, Sector III, Bidhannagar  
Kolkata - 700 106

BMW Authorisation No. : 00016965 [Renewal]

Memo No. 42/2S(BM)-1632/2003(Pt-II)

Date 27.12.2023

## FORM - III

### AUTHORIZATION

(Authorization for operating a facility for generation, Collection, reception, treatment, storage, transport and disposal of biomedical wastes as per the Bio-Medical Waste Management Rules, 2016)

1. M/s. Medicare Environmental Management Pvt. Ltd. an occupier or operator of the facility located at A1, F, Road, P.O - Howrah, P.S - Litalah, Howrah - 711005 is hereby granted an Authorization for:

Activity (Please Tick)

- |  |   |
|--|---|
| <input type="checkbox"/> Generation, segregation   | <input checked="" type="checkbox"/> Treatment or processing or conversion |
| <input checked="" type="checkbox"/> Collection     | <input type="checkbox"/> Recycling  |
| <input checked="" type="checkbox"/> Storage        | <input checked="" type="checkbox"/> Disposal or Destruction               |
| <input type="checkbox"/> Packaging                 | <input type="checkbox"/> Use  |
| <input checked="" type="checkbox"/> Reception      | <input type="checkbox"/> Offering for Sale / Transfer                     |
| <input checked="" type="checkbox"/> Transportation | <input type="checkbox"/> Any other form of Handling                       |

2. M/s. Medicare Environmental Management Pvt. Ltd. is hereby authorized for handling of biomedical waste as per the capacity given below:

- (i) Number of beds of HCF : N.A
- (ii) Number of healthcare facilities covered by CBMWTF : BMW from 30000 beds and BMW from non-bed day health care facilities as per schedule I of Rules.
- (iii) Installed treatment and disposal capacity : 7500 Kg per day
- (iv) Area or distance covered by CBMWTF : 150 KM
- (v) Quantity of Biomedical waste handled, treated or disposed : 7500.00 Kg per day

Type of Waste Category

Quantity permitted for Handling

- Yellow
- Red
- White (Translucent)
- Blue


- 3. This authorization shall be in force for a period up to 30/11/2028 from the date of issue.
- 4. This authorization is subject to the conditions stated overleaf and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act., 1986.

[Signature] 27.12.2023  
Authorized Signatory of the State Board  
Bio-Medical W.M. Cell

**Terms and conditions of authorization :**

1. The authorization shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of his authorization.
5. It is the duty of the authorized person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions as may be stipulated by the prescribed authority.

**Additional Conditions :**

1. The occupier/operator must handle & manage bio-medical wastes as prescribed in the Bio-Medical Waste Management Rules, 2016 *and its amendments* and take all steps to ensure that such waste is handled without any adverse effect to human health & the environment.
2. The occupier shall handle mercury bearing waste as per guidelines issued by CPCB for the "Environmentally Sound Management of Mercury Waste Generated from the Health Care Facilities".
3. Every authorized person shall maintain record related to generation, collection, temporary storage of bio-medical wastes in accordance with rules.
4. No untreated waste shall be stored onsite for more than 48 hours.
5. The applicant shall submit an Annual Report in Form-IV to the Board by 30th June every year for the period from January to December of the preceding year as required under the provisions (Rule-13) of the Bio-Medical Waste Management Rules, 2016 *and its amendments*.
6. The West Bengal Pollution Control Board reserves its right to revoke, withdraw, make any reasonable variation of the conditions of change or alter this 'Authorization'.
7. Application for renewal of Authorization shall be filed at least ~~60 (sixty)~~ *120 (one hundred twenty)* days before the date of expiry of this Authorization.
8. *Pl. see Annexure I.*

Quantity permitted for handling	Type of Waste Category	Quantity of Biomedical waste handled, treated or disposed	Area or distance covered by (BMTW)	Institutional facility (covered by BMTW)	Number of beds of HCT

*[Signature]*  
 (Authorized Signatory of the State Board)  
 Chief Engineer  
 Bio-Medical W.M. Cell




## ADDITIONAL CONDITION

Annexure I to Bio-medical Waste Authorization Sl. No.: DO016965

Special Conditions issued to:- M/s. Medicare Environmental Management Pvt. Ltd.  
41, F, Road, Belgachia, P. O- Howrah, P. S- Liluah,  
Howrah- 711105

1. The unit should follow the Revised Guidelines for Common Bio-medical Waste Treatment and Disposal Facilities and also the Guidelines for Bar Code System for Effective Management of Bio-medical Waste published by the Central Pollution Control Board in December, 2016 and April, 2018 respectively.
2. The Common Bio-Medical Waste Treatment Facility shall cater healthcare units situated at a radial distance of 75KM within the state of West Bengal. However, in a coverage area where 10,000 nos. beds are not available within a radial distance of 75KM, the Common Bio-Medical Waste Treatment Facility shall cater the healthcare units situated up to 150KM radius w. r. t. its location within the state of West Bengal.
3. The unit should comply with the terms & conditions stipulated in the previous 'Authorization' vide memo no. 01/2S(BM)- 1632/2003 (Pt. I) dated 30-11-2019 properly.
4. The unit should comply with the Direction issued by the State Board time to time properly.

  
Member Secretary  
West Bengal Pollution Control Board  
Chief Engineer  
Bio-Medical W.M. Cell