

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before **30th June** every year for the period from January To December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical Waste treatment facility (CBWTF)

Sl. No.	Particulars	
1 .	Particulars of the Occupier	Medicare Environmental Management Pvt Ltd.,
	(i) Name of the authorised person (occupier or operator of facility)	Mr.P.Indrasena Reddy
	(ii) Name of HCF or CBMWTF	Medicare Environmental Management Pvt Ltd.,
	(iii) Address for Correspondence :	Sy.No.619,Pashamylaram Indl.Area,Isnapur Village,Patancheru Mandal,Medak (Dt)
	(iv) Address of Facility	Sy.No.619,Pashamylaram Indl.Area,Isnapur Village,Patancheru Mandal,Medak (Dt)
	(v)Tel. No, Fax. No	9866511268
	(vi) E-mail ID	indrasenareddy@ramky.com
	(vii) URL of Website	
	(viii) GPS coordinates of HCF or CBMWTF	CBMWTF
	(ix) Ownership of HCF or CBMWTF(State Government or Private or Semi Govt. or any other)	Private
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	Authorisation No.:01/TSPCB/BMWM/CBMWTF/SR-1-1855valid up to : 28.02.2022
	(xi). Status of Consents under Water Act and Air Act	Valid up to:
	2.	Type of Health Care Facility
(i) Bedded Hospital		No. of Beds:
(ii) Non-bedded hospital (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)		NA
(iii) License number and its date of expiry		NA
3.	Details of CBMWTF	Medicare Environmental Management Pvt Ltd.,
	(i) Number healthcare facilities covered by CBMWTF	944
	(ii) No of beds covered by CBMWTF	16,200
	(iii) Installed treatment and disposal capacity of	Incinerator - 250 Kg Per Hour

	CBMWTF:				
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	4190 Kgs/day			
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category : 10,36,140 Kgs Red Category :2,91,350 Kgs White:1,05,894 Kgs Blue Category : 96,111 General Solid waste:Nil			
5					
	(i) Details of the on-site storage facility	Size :			
		Capacity :			
		Provision of on-site storage : (cold storage or any other provision)			
	disposal facilities	Type of treatment equipment	No of units	Capacity Kg/Day	Quantity Treated or disposed in kg per annum
		Incinerators	1	250 Kg/Hr	10,36,140 Kgs
		Plasma Pyrolysis	-	-	-
		Autoclaves	1	3000 Liters	2,91,350 Kgs
		Microwave Hydroclave			
		Shredder	2	1) 150 Kg/Hr 2) 100 Kg/Hr Stand By	
		Needle tip cutter or destroyer			
		Sharps encapsulation or concrete pit			
		Deep burial pits:			
		Chemical disinfection: Any other treatment equipment:			
	(iii) Quantity of recyclable wastes	Red Category (like plastic, glass etc.)			

	sold to authorized recyclers after Treatment in kg per annum.	2,91,000 Kgs		
	(iv) No of vehicles used for collection and transportation of biomedical waste	10 Vehicles		
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity generated	Where disposed
		Incineration	6,38,364	By Incineration
		Ash	51,830	Sent to TSDF
		ETP Sludge	15,695	Sent to TSDF
	(vi) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Bio Medical Waste		
	(vii) List of member HCF not handed Over bio-medical waste.	-		
6	Do you have bio-medical waste Management committee? If yes, attach minutes of the meetings held during the reporting period	-		
7	Details trainings conducted on BMW			
	(i) Number of trainings conducted on BMW Management.	38 HCE's		
	(ii) number of personnel trained	Total 1,635 Members trained		
	(iii) number of personnel trained at the time of induction	8 No's		
	(iv) number of personnel not undergone any training so far	Nill		
	(v) whether standard manual for Training is available?	Available		
	(vi) any other information)			
8	Details of the accident occurred during the year	Nill		
	(i) Number of Accidents occurred	Nill		
	(ii) Number of the persons affected	Nill		
	(iii) Remedial Action taken (Please attach details if any)	Nill		
	(iv) Any Fatality occurred, details.	Nill		
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Yes we are meeting the standards of Air Pollution from the Incinerator		
	Details of Continuous online emission monitoring systems installed	CEMS Connected to CPCB		
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	NA		
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Yes We are meeting the standards as per log 4		
12	Any other relevant information	(Air Pollution Control Devices attached with the		

	Incinerator)
--	--------------

Certified that the above report is for the period from

Jan'2017 to Dec'2017

.....
.....
.....
.....

Name and Signature of the Head of the Institution

Date:

Place