



**U.P. Pollution Control Board**

**CONSENT ORDER**

**Ref No. - 32336/UPPCB/Ghaziabad(UPPCBRO)/CTO/air/GHAZIABAD/2018**

**Dated : 07/12/2018**

**To ,**

Shri SANJAY PRAKASH GARG  
M/s MEDICARE ENVIRONMENTAL MANAGEMENT PVT LTD  
C 21, PHASE 1, MG ROAD, UPSIDC IND AREA, GHAZIABAD, GHAZIABAD, 201015  
GHAZIABAD

**Sub : Consent under section 21/22 of the Air (Prevention and control of Pollution) Act, 1981 (as amended) to M/s. MEDICARE ENVIRONMENTAL MANAGEMENT PVT LTD**

Reference Application No. 2985759

Dated : 07/12/2018

1. With reference to the application for consent for emission of air pollutants from the plant of M/s MEDICARE ENVIRONMENTAL MANAGEMENT PVT LTD. under Air Act 1981. It is being authorised for said emissions, as per the standards, in environment, by the Board as per enclosed conditions .
2. This consent is valid for the period from 01/01/2019 to 31/12/2023 .
3. In spite of the conditions and provisions mentioned in this consent order UP Pollution Control Board reserves its right and powers to reconsider/amend any or all conditions under section 21 (6) of the Air (Prevention and Control of Pollution) Act, 1981 as amended.  
This consent is being issued with the permission of competent authority .

**For and on behalf of U.P. Pollution Control Board**

**ceo 1**

**Enclosed : As above  
(condition of consent):**

Copy to: RO UPPCB GHAZIABAD

**ceo 1**

## U.P. Pollution Control Board

Dated : 07/12/2018

### CONDITIONS OF CONSENT

1. This consent is valid only for the approved production capacity of Common Bio medical waste disposal facility having capacity- 135 MTM.
- 2(a) . The maximum rate of emission of flue gas should not be more than the emission norms for the stacks.

<b>Air Pollution Source Details</b>					
<b>S.No</b>	<b>Air Pollution Source</b>	<b>Type of Fuel</b>	<b>Stack No.</b>	<b>Parameters</b>	<b>Height</b>
1	Incinerator	HSD	1	Particulate Matter	30 mt.
2	82.5 KVA DG SET	Diesel	2	Particulate Matter	2.5 MT from roof level

- 2(b) . The emissions by various stacks into the environment should be as per the norms of the Board .

<b>Emission Quality Details Detail</b>			
<b>S.No</b>	<b>Stack No</b>	<b>Parameter</b>	<b>Standard</b>
1	1	Particulate Matter	AS PER BOARD STANDARD

- 3 . Quantity of other pollutants should also be as per the norms prescribed by the Board/MOEF & CC/or otherwise mandatory .
- 4 . The equipment for air pollution control system and monitoring ,as proposed by the industry and approved by the Board should be installed in their premises itself .
- 5 . The modification or installation in the existing pollution control equipments should be done only by prior approval of Board .
- 6 . The operation of air pollution control system and maintenance be done in such a way that the quantity of pollutants should be in accordance with the standards prescribed by the Board/MoEF & CC/or otherwise mandatory .
- 7 . Unit should do provisions for fugitive emissions chimney/stack as per the norms of the Board/MOEF & CC/or otherwise mandatory .
- 8 . The unit should submit the stack emissions monitoring report within one month from issuance of consent order along with the point wise compliance report of the consent order . Further quarterly monitoring report should be submitted .

#### **Specific Conditions:**

1. Industry shall use clean fuel as far as possible.
2. Industry shall comply the provisions of EP Act, 1986, Water (Prevention and Control of Pollution) Act, 1974 as amended, Air (Prevention and Control of Pollution) Act, 1981 as amended.
3. Industry shall dispose the hazardous waste through authorized recyclers/TSDF.
4. Industry shall comply the order passed by Hon'ble NGT time to time.
5. This consent is valid for the product and production capacity of above mentioned product.
6. Industry shall comply the provisions of Hazardous and Other Wastes (Management and Trans-boundary Movement) Amendment Rules, 2016 and Bio-Medical Waste Management Rules 2016.
7. This consent is valid for the present BMW disposal capacity mentioned above.
8. Industry shall not use furnace oil/pet coke as a fuel.
9. Industry shall develop proper green belt and rain water harvesting system as per guidelines. For green belt at least 8 feet height plants should be planted which shall be properly protected as proper irrigation and manuring arrangements shall be made. For the development of the green belt the guidelines issued vide Board office order no. H10405/220/2018/02 Dt. 16-02-2018 shall be complied.
10. Industry shall use of minimum 20 % Bio-briquette as fuel.
11. If UPPCB or CPCB issues closure order against the industry, this consent shall remain suspended for the period till closure order is revoked, after which the consent will be effective again for the remaining period.
12. Industry shall install OCEMS & connect it with SPCBs and CPCB server.
13. Industry shall sent the stack/ambient air quality monitoring report from Boards Laboratory, on payment basis on yearly basis.

**Issued with the permission of competent authority .**

**For and on behalf of U.P. Pollution Control Board .**

**ceo 1**