

Lr.No:Reael/PCB/BMW/A-011

Date: 04/06/2021

To:

The District Environmental Engineer,

Tamilnadu Pollution Control Board,

Virudhunagar,

Madurai.



RAMKY ENERGY AND ENVIRONMANT LTD.

No. 2B/1 Vaigai Street, Velmurugan Nagar, By-Pass Road, Madurai - 625016. Tamilnadu Tel: 0452 4217325 E-Mail: reaelmdu@ramky.com

Sub: Submission of Annual Report - Reg;

Respected sir,

With above the subject, here with we submit the annual report for the calendar year of 2020 (from Jan-20 to Dec-20) for the kind information.

Thanking you.

Yours faith fully

Ramky Energy and Envirionment Ltd

Virudhungar.

ENCL: Form IV (Annual Report)

Copy to: 1.The Member Secretary, TNPCB, Chennai. (by post)

2.The JCEE, TNPCB, Tirunelveli. (by post)

Managing Bio-Medical Waste

Regional Office: Level - 4, Diamond Dune 323, Poonamallee High Road, Chennai - 600 026 Tel : 2668 1233, 2668 Fax : 2668 1180 E-mail : reaelbmw@ramky.com

Form - IV (See rule 13) ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

SI.	Particulars				
and the same of		0	Control of the Contro		
1.	Particulars of the Occupier	:			
	(i) Name of the authorized person (occupier or operator of facility)		M.Udayakumari		
-	(ii) Name of HCF or CBMWTF	:	Ramky Energy and Environment Ltd		
	(iii) Address for Correspondence		2B/1 VaigaiSt,Velmurugannagar,Bye pass,Madurai-625016		
	(iv) Address of Facility		Servey no:136,137, Undurumikidakulam, A. Mukkulam- (panchayat), Thiruchuli(TK), Virudhunag ar(DT).TN.		
	(v)Tel. No, Fax. No	1 11	0452-4217325		
	(vi) E-mail ID	1	reaelmdu@ramky.com		
	(vii) URL of Website		www.ramkyenviroengineers.com		
	(viii) GPS coordinates of HCF or CBMWTF	4.	9.681626-N 78.211652-E		
	(ix) Ownership of HCF or CBMWTF		Private sector		
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	Option 1	Authorization No:19BAZ18255751 Valid up to : 31/03/2023		
	(xi). Status of Consents under Water Act and Air Act		CTO Order No:1908121059083 Valid up to:31/03/2023		
2.	Type of Health Care Facility	1×			
	(i) Bedded Hospital	125			
ŀ	(ii) Non-bedded hospital				
		100			
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital orany other)				
	(iii) License number and its date of expiry		and the first section		
3.	Details of CBMWTF	:			
	(i) Number healthcare facilities covered by CBMWTF	:	1634		
	(ii) No of beds covered by CBMWTF		8366 (Private Hospital) 6554(Government Hospital) Total:14920		
4	(iii) Installed treatment and disposal capacity of CBMWTF:	•	4000 Kg perday		

	(iv) Quantity of biomedical waste treated or	anspe	sed :	3645.23K		*	
	by CBMWTF Quantity of waste generated or disposed in	Yellow C	Yellow Category : 1041545				
	Quantity of waste generated of disposed in	Red Cate	gory: 14	3295			
	annum (on monthly average basis)			White: 2195			
		Blue Cat	Blue Category: 148595				
a				General Solid waste:			
	a tractment transports	g and Disposa	1 Facility				
	Details of the Storage, treatment, transportation, processing and Disposal Facility (i) Details of the on-site storage : Size :						
	(i) Details of the		Capacity	Marie Marie Marie Marie and American Marie and Amer			1
	facility	937	100 2			·(cold	storage or
				of on-site stor	rage	. (cora	Storage or
	Carlotte Carlotte Co. Carlotte Co.			provision)	No	Cap	Quantity
	(ii) Details of the treatment or :			f treatment	of	acit	treated or
	disposal facilities		equipr	nent	unit	y	disposed
				A STATE OF THE STATE OF	S	Kg/	in kg per
					3	day	annum
		Autock Micro Hydro Shredd Needl destro Sharp	wave oclave der le tip cutter or oyer osulation or		450L 100kg 75kg	Glass-15079	
				ete pit	2		
		X	Chen	burial pits:			
				fection:	Water and the second		
	They of I will strain to	·	The same of the sa	other treatmen	ıt		
	The state of the s			oment:			
			143295			S 78	
	(iii) Quantity of recyclablewastes sold to authorized recyclers after		143493		1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -		
	treatment in kg per annum.		10Nos		10.00	7	
	(iv) No of vehicles used for collection and transportation of biomedical waste		101403				
	(v) Details of incineration ashand		d days		uantity		here
	ETP sludge generated anddisposed			ge	nerated	di	sposed

(

	during the treatment of wastes in Kg		Incineration
	per annum		Ash :29,303kg
			ETP Sludge:11,796Kg sent to common TSDF, Virudhunagar
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of		Ramky Energy and Environment Ltd., Human Anatomical Waste, Animal Anatomical Waste BMW related Solid Waste, Discarded Medicines etc.
5.0	(vii) List of member HCF not handed over bio-medical waste.		
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes
7	Details trainings conducted on BMW	- 3	
	(i) Number of trainings conducted on BMW Management.		Nil. Trainings not conducted due to COVID pandemic
	(ii) number of personnel trained		Nil
	(iii) number of personnel trained at the time of induction		Nil
	(iv) number of personnel not undergone any training so far		Nil
	(v) whether standard manual for Training is available?		Yes
	(vi) any other information)	- 1	
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		Nil
	(ii) Number of the persons affected		Nil
	(iii) Remedial Action taken (Please attach details if any)		Nil
. 39	(iv) Any Fatality occurred, details.		Nil
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		Yes. Incinerator stack emissions results as per the Incinerator stack standards
	Details of Continuous online emission monitoring systems installed		Yes
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards ina year?	1	Nil
11	Is the disinfection method or		Nil
**	sterilization meeting the log 4	1	

	Standards? How many times you have not met the standards in a year?		
12	Any other relevant information	•	(Air Pollution Control Devices attached with the Incinerator)
To go		No.	

Certified that the above report is for the period from January 2020 to December 2020

Name and Signature of the Head of the Institution

M. Sridhar Reddy
Project Head MADURAI

Date:29/06/2021

Place: Madurai

आर पी.54-B R-54

शारतीय डाक विभाग े DEPARTMENT OF POSTS, INDIA प्राप्ति-स्वीकृति ACKNOWLEDGEMENT

दिया जाए elevant	रजिस्ट्री⇔पत्र∕पार्सल प्र Received Registered I		1	
	进刊事 / No. →	ं वारोख ∕ Daleo	्रां का∕्रां	
ज्ञी का प्रापति	बीमें का मुख्य रुपयों में *Insured for Hupees_			
	Addressed to The	Districts Equ	immental Eq	
	(6) Ja Zon	CONTRACTOR OF THE LAST SAME PARTY		
factor Date Si	नाक्षर की करोके-मोहर का Riggide of Delivery	11 Martin Partin Color	APY SANGALISMAN NEW	ne
		THE SECOND STATE		

आर.पी.54 R.P.-54

भारतीय डाक विभाग DEPARTMENT OF POSTS, INDIA प्राप्ति स्वीकृति/ACKNOWLEDGEMENT

क्रमाक∕No.	तारीख/🎉	का ८० १
में का मूल्य रूपयों में		
nsured for Rupees		
ाने वाले	 	The season see
ddressed to Thy	Mambes (SA	Crostan /
To p	ch Chenia	
को ∕ On_		

आर.पी.54 R.P.•54

भारतीय डांक विभाग DEPARTMENT OF POSTS, INDIA प्राप्ति-स्वीकृति/ACKNOWLEDGEMENT

ग जारू vant	रजिस्ट्री-पन/पा Received Regis	र्सल प्राप्त हुआ tered Letter/Rarc	el*		
ट दिया I releva	क्रमांक / No.	A STREET OF THE PROPERTY OF THE PARTY OF THE	तारीख / Dated	का/०	1
新 (1) (1)	बीमें का मूल्य रूप satisfaction Rug	Company of the control of the contro			
यक व है ज्या	पान वाले	TA TOP	Chiroc	2	
	Addresse				, .
	4. 10	t/On	V Vol	NELLEN W	PERM
faite S	A A LO CONTROL PORTOR DEL		EMICHIE BITE	MENTAL	ROABU